

MOTORCYCLES

2026





- P.6** Sport bikes that grip, rip, and vanish.
- P.14** Adventure bikes that don't ask where, but when.
- P.20** Naked bikes that keep only what thrills.
- P.30** Cruisers that make Tuesday feel like Sunday.
- P.34** Mini Motos that punch above their weight—and their size.
- P.46** CFMOTO CRAFTED Parts and Accessories.

FIND YOUR RIDE, YOUR PEOPLE, YOUR FREEDOM.

Riding doesn't start with a bike. It starts with a feeling. A pull toward motion. Toward freedom. Toward something that finally feels like yours. At CFMOTO, we believe the path to riding should be simple. Not expensive. Not intimidating. Not someday. That's why we build machines that do more—without asking you to pay more. Because great rides shouldn't come with compromises—or price tags that leave you on the sidelines. We build machines that make stepping up to your next (or first) bike even easier. The path to your machine, to the people you ride with, to the road ahead. It's all right here.



Features and specs subject to change without notice. Info current as of print date.



EXPERIENCE MORE

TOP-SHELF COMPONENTS like Brembo® and J.Juan brakes, KYB suspension, and Bosch® electronics.

RIDE-READY FEATURES like ride modes, TFT displays, and slipper clutches.

POWER PLANTS THAT PUNCH UP—engineered for extreme fun, not just spec sheet bragging rights.

DESIGN THAT INTEGRATES TECH, FIT, AND FINISH like a bike twice the price.



APPLE CARPLAY®

IBEX 800E



675CC TRIPLE

675SS / 675NK



ALL-TERRAIN ADVENTURE

IBEX 450



PERFORMANCE BRAKES

675SS / 675NK / 450SS



LED LIGHTING

ALL MODELS



CUTTING-EDGE STYLING

ALL MODELS



new

675SS / 450SS / 300SS /////
TELEPATHY ON TWO WHEELS.

675SS



ENTER THE TORQUE ZONE.

Behold 429 pounds of aluminum, electronics, and attitude—driven by a 675cc inline-triple unleashing 95 horsepower at 11,000 rpm, with torque that shows up early and builds smoothly. The adjustable KYB suspension reads ribbon after ribbon of curvy asphalt. Winglets and a steering damper keep the bike arrow-steady while the belly-mounted exhaust belts out its signature growl. A full-color 5" TFT dash streams the vitals—Bluetooth®, RideSync®, TPMS. Bosch® traction control and dual-channel ABS rev your confidence. Another lean is all it takes to understand: this bike doesn't just meet your expectations—it resets them. And the price? Welcome to the affordable zone.

COLORS:
◀ NEBULA BLACK
NEBULA WHITE ▼



STANDARD FEATURES

- 675cc triple engine delivers 95 horsepower
- Lightweight frame
- J.Juan brakes, front: 300mm rotors with 4-piston calipers, rear: 240mm rotor
- Integrated winglets for aerodynamic stability
- 6-speed gearbox
- Reverse shifter option for track precision
- Slipper clutch delivers smooth downshifts
- Full LED lighting
- Quickshifter (up-shifter only)
- Steering damper
- Front brake cooling ducts

5" TFT
Display



675cc
Inline Triple



Full LED
Lighting



31.9"
SEAT HEIGHT

4 GAL
FUEL CAPACITY

95 HP
@ 11,000 RPM

51.6 LB-FT
@ 8,250 RPM

675cc
ENGINE

4-PISTON
FRONT CALIPERS

450SS



COLORS:
◀ NEBULA WHITE
NEBULA BLACK ▶



STANDARD FEATURES

- Liquid-cooled parallel twin, Bosch® EFI, 51 hp
- Brembo® high performance front disc brakes
- Front brake cooling ducts
- Bosch® ABS and traction control
- TPMS sensors
- Slipper clutch
- Multi-link rear suspension
- Reverse shifter option
- New race bubble windscreen
- 5" TFT display with Bluetooth® and CFMOTO RideSys® connectivity
- USB type-C charging port

Aerodynamic
Winglets



Brembo®
Brakes



5" TFT
Display



BUILT TO OUTCLASS ITS CLASS.

If someone tells you price equals performance, hand them the keys to this. The 449cc parallel twin with a 270° crank delivers 51 horsepower and plenty of torque where it matters—right in the heart of the rev range. The slipper clutch makes downshifts clean. The Brembo® M40 caliper and oversized rotor gives you braking that borders on overkill. The suspension? Tuned for pavement with personality—rippled, cracked, and full of stories. A 5" TFT dash connects via Bluetooth®, supports RideSys®, and gets smarter with every over-the-air update. Complete with ABS, traction control, and reverse shift capability, now you see why this machine blows past everything in its class.



31.3"
SEAT HEIGHT

3.7 GAL
FUEL CAPACITY

51 HP
@ 9,500 RPM

29.5 LB-FT
@ 7,750 RPM

449CC
ENGINE

4-PISTON
FRONT CALIPER

See 450SS accessories on page 50

300SS



NOT A STARTER BIKE. A LAUNCHPAD.

The 300SS proves that a single cylinder doesn't mean single-minded. Its 298cc DOHC engine delivers 29.5 hp, a wide torque band, and a redline that encourages you to find it. A slipper clutch smooths the downshifts. The lightweight chassis and preload-adjustable suspension make every curve more inviting. Radial tires and cast wheels reduce unsprung weight. Upmarket features include ABS, full LED lighting, and a 5" TFT dash with Bluetooth® and RideSync® connectivity—it's no wonder this "entry-level" sportbike doesn't act like one.

COLORS:
NEBULA BLACK
NEBULA WHITE



STANDARD FEATURES

- 6-speed transmission
- Full LED lighting
- 5" TFT display with Bluetooth®
- Dual-channel Continental ABS
- Upside-down fork
- Slipper clutch
- 2-year manufacturer's warranty

Dual-Channel
Continental
ABS



Full LED
Lighting



298cc Engine,
Bosch® EFI



See 300SS accessories on page 61



30.7"
SEAT HEIGHT

3.2 GAL
FUEL CAPACITY

29.5 HP
@ 9,500 RPM

19.9 LB-FT
@ 6,500 RPM

298cc
ENGINE

4-PISTON
FRONT CALIPER



IBEX 800 E / IBEX 450 //
NEED A MIDLIFE COMPASS?

IBEX 800E



COLORS:
STARRY WHITE
GEM BLACK ▼



STANDARD FEATURES

- 6 ride modes
- Switchable cornering ABS
- Switchable traction control
- Radar blind spot monitoring
- Quickshifter
- Updated handlebar controls
- ETC: Electronic throttle with cruise control
- Aluminum skidplate
- Heated grips and seat
- Slipper clutch
- Fully adjustable KYB USD fork and adjustable rear shock
- Adjustable windscreen
- Center stand


8" TFT display with
Apple CarPlay® and
CFMOTO RideSync®
connectivity



Full LED
Lighting &
Fog Lights



J.Juan
Brakes



FOR RIDES THAT END IN ANOTHER TIME ZONE.

The 799cc parallel twin delivers 94 hp and 56.8 lb-ft of torque. On the highway, the bike settles in. On forest roads, it stays planted. The fully adjustable KYB suspension adapts to load and terrain. J.Juan brakes and Bosch® cornering ABS handle the rest. The bi-directional quickshifter and cruise control make the hours pass like the scenery. An 8" MMI display offers up Apple CarPlay®, Bluetooth®, TPMS, and six ride modes to adjust throttle and rider aids across changing terrain and conditions. Cross-spoke tubeless rims, a full skid plate, and integrated crash bars come standard. And thanks to the heated grips and seat, the Ibex 800 E extends the riding season beyond your ambitions.



32.5"
SEAT HEIGHT

5 GAL
FUEL CAPACITY

94 HP
@ 9,000 RPM

56.8 LB-FT
@ 6,500 RPM

799CC
ENGINE

19"
FRONT WHEEL

IBEX 450



GET A NEW IBEX. BREAK IN THE WORLD.


Some would even say it's a unicorn. Under the tank sings a 270° parallel twin—chosen not for parallel twin bragging rights, but for the torque curve real-world ADV riding demands. Twin counterbalancers keep it smooth without muting the feel. The fully adjustable KYB suspension with 200mm of travel interprets the terrain. Tubeless spoke wheels, a Chromoly steel frame, and plenty of ground clearance round out the platform. J.Juan brakes and one-touch, switchable Bosch® ABS instill confidence on all surfaces. And at 386 pounds dry, it's one of the only ADV bikes that feels more like a riding partner than a machine.

COLORS:
◀ ZEPHYR BLUE
TUNDRA GREY ▼



STANDARD FEATURES

- 449cc parallel twin engine
- 270° crankshaft angle
- 5" TFT display
- USB type-C charging port
- Front brakes: J.Juan, 320mm single disc, 4-piston caliper
- Switchable Bosch® dual-channel ABS
- One-hand adjustable windshield
- Fully adjustable KYB USD fork and adjustable rear shock
- 21" front, 18" rear tubeless cross-spoke rims
- Aluminum alloy bash guard
- Fold-in mirrors



32.3"
SEAT HEIGHT

4.6 GAL
FUEL CAPACITY

44 HP
@ 8,500 RPM

32.5 LB-FT
@ 6,250 RPM

449cc
ENGINE

4-PISTON
FRONT CALIPER



800NK / 675NK / 450NK / 300NK /////
WHEN THE SPORT BIKE TAKES THE GLOVES OFF.

800NK



THE LIMIT ISN'T THE BIKE.

Meet the most powerful naked bike in the CFMOTO lineup—100 hp from a 799cc twin that responds with immediacy and intent. The KYB suspension, fully adjustable front and rear, keeps the chassis composed when the pace gets serious. Dual J.Juan front discs with Bosch® ABS provide the kind of braking that rewards commitment. Three ride modes tailor the response. And the 5" TFT dash keeps you fully dialed in with Bluetooth®, RideSync®, cruise control, and OTA updates. This isn't a bike that tries to impress. It's the bike that understands what impresses you.

COLORS:
 ▲ AEROLITE GREY
 ▼ NEBULA BLACK ▼



STANDARD FEATURES

- 799cc, inline twin, liquid-cooled, 4 valves, DOHC
- Bosch® EFI
- ETC: Electronic throttle with cruise control
- 6-speed transmission, wet multi-disc, slipper clutch
- Bluetooth® and CFMOTO RideSync® connectivity
- Sport, Street, and Rain ride modes
- MSC: Motorcycle stability control system
- Bosch® ABS
- KYB adjustable suspension
- Steering damper, quickshifter, and traction control


Full LED
Lighting & Fog
Lights



TFT
Screen



799cc
Engine



See 800NK accessories on page 56



31.5"
SEAT HEIGHT

4 GAL
FUEL CAPACITY

100 HP
@ 9,000 RPM

59.7 LB-FT
@ 8,000 RPM

799cc
ENGINE

4-PISTON
FRONT CALIPERS

675NK



COLORS:
 ▲ GLACIER WHITE
 ▼ TUNDRA GREY



STANDARD FEATURES

- 675cc triple engine delivers 95 horsepower
- Lightweight frame
- J.Juan dual front discs (4-piston calipers)
- Dual-channel ABS, 2-stage traction control
- 6-speed gearbox
- Slipper clutch delivers smooth downshifts
- Quickshifter (up-shifter only)
- Full LED lighting
- Dual-compound sport tires – 120/70 R17 (F), 180/55 R17 (R)
- Bluetooth and CFMOTO RideSync® connectivity



TORQUE WINS ARGUMENTS.

The all-new 675NK harbors a purpose-built 675cc inline triple delivering 95 hp at 10,500 rpm and 51.6 lb-ft of torque. But it's not just about numbers—it's about character. This engine revs quick, pulls hard, and delivers a broad torque curve that makes every throttle input feel like a decisive move. A quickshifter makes upshifts effortless. The KYB suspension is fully adjustable. J.Juan brakes with twin front discs, traction control, and ABS keep you confidently in command. The 5" TFT dash includes TPMS and RideSync® integration. And, yup, lb-ft torque for lb-ft torque, you can't beat the value. Twist the throttle, and you won't need any more convincing.



31.9"
SEAT HEIGHT

4 GAL
FUEL CAPACITY

95 HP
@ 11,000 RPM

51.6 LB-FT
@ 8,250 RPM

675cc
ENGINE

4-PISTON
FRONT CALIPERS

450NK



COLORS:
 ▲ ZEPHYR BLUE
 ▼ NEBULA WHITE ▼



STANDARD FEATURES

- 449cc dual overhead cam with Bosch® EFI
- 50 hp at 9,500 rpm
- 28.8 lb-ft of torque at 7,600 rpm
- Bluetooth® and CFMOTO RideSync® connectivity
- Dual-channel ABS & traction control
- Type-C and type-A ports to charge your devices



LED
Lighting



5" TFT
Screen



449cc
Engine

SPORT BIKE ROOTS. STREET BIKE MOVES.

At its heart is a 449cc parallel twin, featuring a 270° crank for torque-rich delivery and an exhaust note that resonates with every twist of the wrist. A slipper clutch ensures seamless downshifts. Up front, a 37mm upside-down KYB fork delivers stiffness without harshness. In the rear, a multi-link suspension keeps the chassis composed over uneven pavement. The 320mm front disc and J.Juan caliper—paired with an adjustable rear monoshock and dual-channel ABS—translate rider input into confident, progressive deceleration. And the 5" TFT dash? Think command center—Bluetooth®, RideSync®, and all the data you need.

See 450NK accessories on page 58



31.3"
SEAT HEIGHT

3.7 GAL
FUEL CAPACITY

50 HP
@ 9,500 RPM

28.8 LB-FT
@ 7,600 RPM

449cc
ENGINE

4-PISTON
FRONT CALIPER

300NK




COLORS:
NEBULA BLACK
ATHENS BLUE ▼



STANDARD FEATURES

- 6-speed transmission
- High-performance single-cylinder EFI engine
- Upside-down front fork
- Slipper clutch
- Full LED lighting
- Bluetooth® and CFMOTO RideSync® connectivity
- 2-year manufacturer's warranty



NO NONSENSE. ALL EXHILARATION.

Light enough to welcome new riders. Engineered to keep the experienced entertained. The 292cc single-cylinder engine revs eagerly, delivering 29 horsepower through a 6-speed gearbox. A steel frame and 37mm upside-down fork create planted, intuitive handling at any speed. J.Juan calipers and Continental dual-channel ABS provide braking that's progressive and reassuring. The 5" TFT dash offers Bluetooth® connectivity and real-time ride data, while full LED lighting keeps your presence sharp. This is motorcycling—distilled, refined, and right-sized for the new generation of riders.



See 300NK accessories on page 61

31.2"
SEAT HEIGHT

3.3 GAL
FUEL CAPACITY

29 HP
@ 8,750 RPM

18.7 LB-FT
@ 7,250 RPM

292cc
ENGINE

4-PISTON
FRONT CALIPER



450CL-C // // //
OLD SCHOOL MEETS RIGHT NOW.

CLC 450



CLASSIC SOUL. MODERN RHYTHM.

The 450CL-C is built around a 449cc parallel twin with a 270° crank that sounds and feels like a V-twin—just as smooth—thanks to modern counterbalancing. It makes 40 horses and 30 lb-ft of torque, served right in the sweet spot. Paired with a low seat, upright bars, and relaxed geometry, it encourages long, unhurried rides and quiet confidence in the curves. The Gates belt drive keeps the vibes mellow and the maintenance light. ABS and traction control come standard. The round 3.6-inch TFT dash with Bluetooth® adds the classic vibe. Weighing in just shy of 400 pounds, the 450CL-C is as easy to ride as it is to own.


COLORS:
TEAL GREEN
NEBULA BLACK ▼



STANDARD FEATURES

- Engine; inline liquid-cooled twin
- Slipper clutch
- Upside-down fork
- Front tire 130/90 R16
- Rear tire 150/80 R16
- J.Juan 320mm front disc brakes
- J.Juan 220mm rear disc brakes
- Dual-channel ABS
- Improved saddle design for enhanced comfort
- Dual-chamber exhaust
- USB type-C charging
- Bluetooth® and CFMOTO RideSync® connectivity


Gates
Belt Drive



449cc
40 hp Engine



TFT
Display



See 450CL-C accessories on page 59



27"
SEAT HEIGHT

3.2 GAL
FUEL CAPACITY

40 HP
@ 8,000 RPM

30 LB-FT
@ 6,250 RPM

449CC
ENGINE

4-PISTON
FRONT CALIPER



PAPIO SS / PAPIO CL /////
MUSTER UP SOME CITY MISCHIEF.

PAPIO_{SS}



COLORS:
CLAY YELLOW
NEBULA WHITE



STANDARD FEATURES

- Retro racer styling
- Strong and stiff frame promoting great handling
- Lightweight 126cc air-cooled engine
- 6-speed transmission
- Preload adjustable monoshock
- ABS disc brakes front and rear
- Traction control
- 1-year manufacturer's warranty

Distinctive
Styling



Dual Pod LED
Headlights



Digital
Gauge



HALF THE SIZE. TWICE THE STATEMENT.

The Papio SS is what happens when retro styling collides with modern mischief. Updated race fairing. Color-matched rims. Clip-ons. Low seat. It's a café racer in miniature—just don't call it child's play. Under the skin is the same lively 126cc engine found in the Papio CL, along with the 6-speed transmission and ABS disc brakes that let you stop as hard as you charge. Dual LED pod headlights, a crisp LCD display, and road-gripping tires tell you this isn't a toy—it's a precision tool for the sport of fun. Lean it. Rev it. Ride it like you stole it.

See Papio SS accessories on page 60



29.9"
SEAT HEIGHT

1.9 GAL
FUEL CAPACITY

9.4 HP
@ 8,250 RPM

6.8 LB-FT
@ 6,500 RPM

126CC
ENGINE

251 LBS
CURB WEIGHT

PAPIO_{CL}



COLOR:
NEBULA WHITE

STANDARD FEATURES

- Scrambler styling
- Upside-down fork
- Strong and stiff frame promoting great handling
- Lightweight 126cc air-cooled engine
- 6-speed transmission
- Preload adjustable monoshock
- ABS disc brakes front and rear
- Traction control
- 1-year manufacturer's warranty



Digital Gauge



Deeply Treaded Tires



LED Lighting

SCRAMBLER SOUL. CITY SPIRIT.

The Papio CL isn't just a mini. It's a minimalist. Lightweight, rugged, and ready for anything, it carries the DNA of a full-sized scrambler scaled down to street-level mischief. A 126cc air-cooled single keeps things simple and reliable. Deep-tread tires and 12" alloy wheels handle alley potholes and gravel short cuts with equal confidence. And ABS disc brakes bring you to a stop, keeping you out of trouble. The raised bars, low seat, and central controls give it the ergonomics of a bike twice its size. But the vibe? That's pure small-batch chaos.

See Papio CL accessories on page 60



29.1"
SEAT HEIGHT

1.9 GAL
FUEL CAPACITY

9.4 HP
@ 8,250 RPM

6.8 LB-FT
@ 6,500 RPM

126CC
ENGINE

251 LBS
CURB WEIGHT

CFX-2E

COLOR:
ZEPHYR BLUE




START SMALL. DREAM BIG.

The CFX-2E is the perfect entry point for young riders just getting their boots dirty, delivering the right blend of control, confidence, and fun. With three adjustable speed modes, parents can fine-tune the power output to match skill level and terrain. A 48V power system delivers smooth, predictable torque. And when it comes to safety, the magnetic lanyard provides instant shutoff in emergencies.

STANDARD FEATURES

- 3 speed modes:
 - Stage 1: 15 mph
 - Stage 2: 22 mph
 - Stage 3: 31 mph
- Lightweight lithium-ion battery
- 37-mile riding range
- Magnetic safety tether
- Hydraulic disc brakes
- Long travel suspension

Swappable
Lithium-Ion
Battery



Tuned Suspension for
Off-Road Riding



Speed Modes:
Stage 1: 15 mph
Stage 2: 22 mph
Stage 3: 31 mph



21.7"
SEAT HEIGHT

108 LBS
CURB WEIGHT

37 MILE
RIDING RANGE

50cc
EQUIVALENT
ENGINE



CFX-5E

COLOR:
ZEPHYR BLUE



BUILT TO CHARGE HARD.

The CFX-5E brings big-bike features to young riders—1.6kW of electric torque, a swappable 44V battery, and hydraulic disc brakes for total control. Longer suspension travel and bigger wheels soak up bumps, while three speed modes let young riders evolve at their own pace. Safe, confidence-boosting, and ready for adventure—this is CFMOTO quality, scaled for our future pros.

STANDARD FEATURES

- 4 speed modes:
 - Stage 1: 15 mph
 - Stage 2: 34 mph
 - Stage 3: 43 mph
 - Reverse: 1 mph
- Lightweight lithium-ion battery
- 62-mile riding range
- Magnetic safety tether
- Hydraulic disc brakes
- Long travel suspension


Swappable
Lithium-Ion
Battery



Tuned Suspension for
Off-Road Riding



Speed Modes:
Stage 1: 15 mph
Stage 2: 34 mph
Stage 3: 43 mph
Reverse: 1 mph



26.7"
SEAT HEIGHT

145 LBS
CURB WEIGHT

62 MILE
RIDING RANGE

110cc
EQUIVALENT
ENGINE





SPECIFICATIONS

							
675SS	450SS	300SS	800NK	675NK	450NK	300NK	
3-cylinder inline, 4-stroke, liquid-cooled, DOHC, 4 valves	2-cylinder inline, 4-stroke, liquid-cooled, DOHC	Single-cylinder, liquid-cooled, DOHC, 4 valves		2-cylinder inline, liquid-cooled, DOHC, 4 valves	3-cylinder inline, 4-stroke, liquid-cooled, DOHC, 4 valves	2-cylinder inline, 4-stroke, liquid-cooled, DOHC	Single-cylinder, liquid-cooled, DOHC, 4 valves
675cc	449cc	298cc		799cc	675cc	449cc	292cc
72mm x 55.2mm (2.83" x 2.2")	72mm x 55.2mm (2.83" x 2.2")	78mm x 62.4mm (3" x 2.46")		88mm x 65.7mm (3.5" x 2.6")	72mm x 55.2mm (2.83" x 2.2")	72mm x 55.2mm (2.83" x 2.2")	78mm x 61.2mm (3" x 2.4")
95 hp @ 11000 rpm	51 hp @ 9500 rpm	29.5 hp @ 9500 rpm		100 hp @ 9000 rpm	95hp @ 11000 rpm	50 hp @ 9500 rpm	29 hp @ 8750 rpm
51.6 lb-ft @ 8250 rpm	29.5 lb-ft @ 7750 rpm	19.9 lb-ft @ 6500 rpm		59.7 lb-ft @ 8000 rpm	51.6 lb-ft @ 8250 rpm	28.8 lb-ft @ 7600 rpm	18.7 lb-ft @ 7250 rpm
Bosch® EFI	Bosch® EFI	Bosch® EFI		Bosch® EFI	Bosch® EFI	Bosch® EFI	Bosch® EFI
6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch		6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch	6-speed, wet, multi-plate, CF-SC slipper clutch
79.6" x 28.66" x 43.5"	78.4" x 28.15" x 45.87"	79.5" x 29.5" x 42.5"		83.5" x 31.9" x 45.6"	79.53 " x 33.43" x 45.47"	78.7" x 31.9" x 44.5"	78" x 30.7" x 42"
55.1"	53.8"	53.7"		57.8"	55.1"	53.8"	53.5"
31.9"	31.3"	30.7"		31.5"	31.9"	31.3"	31.2"
4 gal.	3.7 gal.	3.2 gal.		4 gal.	4 gal.	3.7 gal.	3.3 gal.
429 lbs.	375 lbs.	364 lbs.		410 lbs.	417 lbs.	364 lbs.	333 lbs.
Front: KYB upside-down fork, preload, compression & rebound adjustable	Front: Upside-down fork	Front: Upside-down fork		Front: KYB upside-down fork, preload, compression & rebound adjustable	Front: KYB upside-down fork, preload, compression & rebound adjustable	Front: Upside-down fork	Front: Upside-down fork
Rear: KYB central monoshock, preload & rebound adjustable	Rear: Preload adjustable monoshock	Rear: Preload adjustable monoshock		Rear: KYB single shock, preload & rebound adjustable	Rear: KYB central monoshock, preload & rebound adjustable	Rear: Preload adjustable monoshock	Rear: Preload adjustable monoshock
Front: J.Juan dual disc radially mounted 4-piston caliper	Front: Brembo® M40 320mm single disc radially mounted 4-piston caliper	Front: 300mm single disc, 4-piston caliper		Front: J.Juan 320mm dual disc, radial mount 4-piston caliper	Front: J.Juan dual disc radially mounted 4-piston caliper	Front: J.Juan 320mm single disc radially mounted 4-piston caliper	Front: 292mm single disc, 4-piston caliper
Rear: Single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper		Rear: J.Juan 260mm single disc, 2-piston floating caliper	Rear: Single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper	Rear: 220mm single disc, single-piston floating caliper
ABS, dual-channel, and adjustable traction control	Bosch® ABS, dual-channel, and traction control	Continental ABS, dual-channel		Bosch® ABS and traction control	ABS, dual-channel, and adjustable traction control	Dual-channel ABS and traction control	Continental ABS, dual-channel
17"/17" Aluminum alloy	17"/17" Aluminum alloy	17"/17" Aluminum alloy		17"/17" Aluminum alloy	17"/17" Aluminum alloy	17"/17" Aluminum alloy	17"/17" Aluminum alloy
LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth® and CFMOTO RideSync® connectivity, tire pressure monitor, upper-quick shifter, USB type-C	LED headlights, taillights, and signal lights; 5" curved screen TFT with Bluetooth® and RideSync® connectivity, emergency stop signal, TPMS, USB type-C	LED headlights, taillights, and signal lights; 5" curved screen TFT with Bluetooth® and RideSync® connectivity		LED headlights, taillights and signal lights; 5" curved TFT display with Bluetooth® and CFMOTO RideSync® connectivity, electronic throttle, sport, street and rain ride modes, cruise control, steering damper, quickshifter	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth® and CFMOTO RideSync® connectivity, tire pressure monitor, upper-quick shifter, USB type-C	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth® and CFMOTO RideSync® connectivity	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth® and CFMOTO RideSync® connectivity
Nebula White, Nebula Black	Nebula White, Nebula Black	Nebula White, Nebula Black		Nebula Black, Aerolite Grey	Glacier White, Tundra Grey	Nebula White, Zephyr Blue	Athens Blue, Nebula Black



IBEX 800 E

POWER	
Engine	2-cylinder inline, liquid-cooled, DOHC, 4 valves
Displacement	799cc
Bore x Stroke	88mm x 65.7mm (3.5" x 2.6")
Max Power	94 hp @ 9000 rpm
Max Torque	56.8 lb-ft @ 6500 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS	
L x W x H	87.9" x 33.6" x 58.1"
Wheelbase	60.3"
Seat Height	32.5"
Fuel Capacity	5 gal.
Curb Weight	509 lbs.

CHASSIS & BRAKES	
Suspension	Front: KYB 160mm upside-down fork, preload, compression & rebound adjustable
	Rear: KYB 150mm single shock, preload & rebound adjustable
Brakes	Front: J.Juan 320mm dual disc, radial mount 4-piston caliper
	Rear: J.Juan 260mm single disc, double-piston floating caliper
ABS & CBS	Bosch® ABS and cornering ABS; traction & wheelie control
Rim (Front/Rear)	19"/17" Steel spoked aluminum alloy

ADDITIONAL FEATURES	LED headlights, taillights, signal lights and fog lights; 8" MMI screen with Bluetooth and CFMOTO RideSync connectivity, electronic throttle, Sport, Rain, Off-road, Off-road Plus, All Terrain, All Terrain Plus ride modes, cruise control, quickshifter, tire pressure monitoring system, motorcycle stability control, steering damper, reflex defensive rider system, emergency stop signal, adjustable windscreen, USB port, type-A, 12V outlet
---------------------	---

COLORS	Gem Black, Starry White
--------	-------------------------



IBEX 450

POWER	
Engine	2-cylinder inline, liquid-cooled, DOHC, 270° crankshaft
Displacement	449cc
Bore x Stroke	72mm x 55.2mm (2.83" x 2.2")
Max Power	44 hp @ 8500 rpm
Max Torque	32.5 lb-ft @ 6250 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS	
L x W x H	87" x 34.3" x 54.7"
Wheelbase	59.3"
Seat Height	32.3" (adjustable)
Fuel Capacity	4.6 gal.
Curb Weight	386 lbs. (dry)

CHASSIS & BRAKES	
Suspension	Front: KYB 200mm upside-down fork, preload, compression & rebound adjustable
	Rear: KYB 200mm multi-link, center aligned, rebound & damping adjustable
Brakes	Front: J.Juan 320mm single disc, 4-piston caliper
	Rear: 240mm single disc, single-piston caliper
ABS & CBS	ABS, dual-channel
Rim (Front/Rear)	21"/18" Steel spoked aluminum alloy

ADDITIONAL FEATURES	LED headlights, taillights, and signal lights; 5" TFT display with Bluetooth® and CFMOTO RideSync® connectivity, Standard and Off-road ride modes, one-touch ABS shutoff, rear wheel traction control shutoff, on-the-fly adjustable windscreen, foldable mirrors, USB 18w type-C port
---------------------	--

COLORS	Zephyr Blue, Tundra Grey
--------	--------------------------



450CL-C

POWER	
Engine	2-cylinder inline, liquid-cooled, DOHC, 270° crankshaft
Displacement	449cc
Bore x Stroke	72mm x 55.2mm (2.83" x 2.2")
Max Power	40 hp @ 8000 rpm
Max Torque	30 lb-ft @ 6250 rpm
Fuel System	Bosch® EFI
Transmission	6-speed, wet, multi-plate, CF-SC slipper clutch

DIMENSIONS	
L x W x H	86.8" x 31.7" x 43.7"
Wheelbase	58.5"
Seat Height	27"
Fuel Capacity	3.2 gal.
Curb Weight	399 lbs.

CHASSIS & BRAKES	
Suspension	Front: Upside-down telescopic fork
	Rear: Central monoshock
Brakes	Front: J.Juan 320mm single disc, 4-piston caliper
	Rear: 220mm single disc, single-piston caliper
ABS & CBS	ABS, dual-channel
Rim (Front/Rear)	16"/16" Aluminum alloy

ADDITIONAL FEATURES	LED headlights, taillights, and signal lights, integrated taillights and signal lights, 3.6" round TFT display with Bluetooth® and CFMOTO RideSync® connectivity, bar-end mirrors, traction control
---------------------	---

COLORS	Nebula Black, Teal Green
--------	--------------------------



PAPIO SS

POWER	
Engine	Single cylinder, air cooled
Displacement	126cc
Bore x Stroke	57mm x 49.4mm (2.2" x 1.9")
Max Power	9.4 hp @ 8250 rpm
Max Torque	6.8 lb-ft @ 6500 rpm
Fuel System	EFI
Transmission	6-speed, wet, multi-plate

DIMENSIONS	
L x W x H	68.9" x 27.6" x 38.4"
Wheelbase	47.8"
Seat Height	29.9"
Fuel Capacity	1.9 gal.
Curb Weight	251 lbs.

CHASSIS & BRAKES	
Suspension	Front: Upside-down fork
	Rear: Preload adjustable monoshock
Brakes	Front: 220mm single disc
	Rear: 190mm single disc, single-piston floating caliper
ABS & CBS	ABS, dual-channel, and traction control
Rim (Front/Rear)	12"/12" Aluminum alloy

ADDITIONAL FEATURES	LED headlights, taillights, and signal lights; LCD display
---------------------	--

COLORS	Nebula White, Clay Yellow
--------	---------------------------



PAPIO CL

POWER	
Engine	Single cylinder, air cooled
Displacement	126cc
Bore x Stroke	57mm x 49.4 mm (2.2" x 1.9")
Max Power	9.4 hp @ 8250 rpm
Max Torque	6.8 lb-ft @ 6500 rpm
Fuel System	EFI
Transmission	6-speed, wet, multi-plate

DIMENSIONS	
L x W x H	68.9" x 29.2" x 40.2"
Wheelbase	47.8"
Seat Height	29.1"
Fuel Capacity	1.9 gal.
Curb Weight	251 lbs.

CHASSIS & BRAKES	
Suspension	Front: Upside-down fork
	Rear: Preload adjustable monoshock
Brakes	Front: 220mm single disc
	Rear: 190mm single disc, single-piston floating caliper
ABS & CBS	ABS, dual-channel, and traction control
Rim (Front/Rear)	12"/12" Aluminum alloy

ADDITIONAL FEATURES	LED headlights, taillights, and signal lights; LCD display
---------------------	--

COLORS	Nebula White
--------	--------------



CFX-5E

POWER	
Engine	44V-BLDC E-Motor
Battery	44V 53Ah lithium-ion battery
Max Power	4 kW
Top Speed	43 mph
Drive Modes	4 speed modes: Stage 1 (15 mph) Stage 2 (34 mph) Stage 3 (43 mph) Reverse (1 mph)

Power Supply	Electric
--------------	----------

DIMENSIONS	
L x W x H	61.2" x 26.2" x 37.7"
Wheelbase	42"
Seat Height	26.7"
Curb Weight	145 lbs.

CHASSIS & BRAKES	
Suspension	Front: Telescopic fork
	Rear: Central monoshock
Brakes	Front: Hydraulic disc
	Rear: Hydraulic disc
Rims	Front/Rear: 14" / 12" Aluminum alloy

ADDITIONAL FEATURES	Magnetic safety tether, battery level indicator, charging status and cumulative running hours display, 3 stage speed modes, 9 mph speed limiter forward modes, 1 reverse, 5-hour charge time from 0-100%, swappable battery, dual-layer paint
---------------------	---

COLORS	Zephyr Blue
--------	-------------



CFX-2E

POWER	
Engine	48V-BLDC E-Motor
Battery	48V 24Ah lithium-ion battery
Max Power	1.6 kW
Top Speed	31 mph
Drive Modes	3 speed modes: Stage 1 (15 mph) Stage 2 (22 mph) Stage 3 (31 mph)

Power Supply	Electric
--------------	----------

DIMENSIONS	
L x W x H	52.5" x 24" x 31"
Wheelbase	37.5"
Seat Height	21.7"
Curb Weight	108 lbs.

CHASSIS & BRAKES	
Suspension	Front: Telescopic fork
	Rear: Central monoshock
Brakes	Front: Hydraulic disc
	Rear: Hydraulic disc
Rims	Front/Rear: 10" / 10" Aluminum alloy

ADDITIONAL FEATURES	Magnetic safety tether, Shortened footbrake lever, battery level indicator w/ charge alert, 3 throttle/speed limiter modes, 5-hour charge time from 0-100%, swappable battery, dual-layer paint
---------------------	---


COLORS	Zephyr Blue
--------	-------------

ACCESSORIES



CONFIDENCE YOU CAN BOLT ON.

This year, the CFMOTO CRAFTED Parts and Accessories lineup gets even deeper. More options. More ways to fine-tune your machine. More of what you want. How do we know? We're out there with you. We ride, we test, and we know what works. This isn't about bolting on extras—it's about shaping your machine into the only one that fits you—perfectly. That's why CRAFTED means more than quality and integration. It means fitment you can trust. It means gear that holds up in the real world. And it means your local CFMOTO dealer—now nearly 700 locations strong—is ready to help you get your bike dialed in.



SCAN THE QR CODE AND FIRE UP
THE VEHICLE CUSTOMIZER.
The online customizer lets you build it your way.
Pick your model. Add your parts. Visualize it.
Then visit your dealer and make it happen.



675SS



THE BIKE'S ALREADY A BEAST. GIVE IT CLAWS.

1 CNC LEVERS, BLACK

Fits MY25 and later 675SS

- Precision adjustable levers, easier pull with more leverage that puts the controls within anyone's reach
- Folding ends to help avoid damage to the lever

6GUV-802220-5601, Brake Lever

\$74.99 MSRP

6AQV-803000-1001-10, Clutch Lever

\$79.99 MSRP

2 CNC REARSETS

Fits MY25 and later 675SS

- Provides an aggressive riding stance and race style
- CNC aluminum, anodized black

6GUV-802400-5601, LH

6GUV-802500-5601, RH

\$199.99 MSRP

3 RACE WINDSHIELD

Fits MY25 and later 675SS

- Windshield height increase above factory is 2.5+ inches
- Sport-look and tinted color

6GUV-805200-5600

\$99.99 MSRP

ADDITIONAL 675SS ACCESSORIES /////

CONTROLS

CNC UPPER CLIP-ON HANDLEBARS

Fits MY25 and later 675SS

6GUV-802600-5603

\$349.99 MSRP

STEERING DAMPER

Fits MY25 and later 675SS

6GUV-050100-5601-M1

\$309.99 MSRP

HEATED GRIPS

Fits MY25 and later 675SS

6ARV-802000-1000

\$99.99 MSRP

LEVER PROTECTOR

Fits MY26 and later 675SS

6GUV-802110-5601, LH

6GUV-802120-5601, RH

\$49.99 MSRP

ENGINE CASE GUARDS

Fits MY26 and later 675SS

6GUV-804600-5600

\$79.99 MSRP

TANK PAD

Fits MY26 and later 675SS

6GUV-803100-5600

\$34.99 MSRP

ENGINE CASE GUARDS

Fits MY26 and later 675SS

6GUV-804600-5601

\$79.99 MSRP

BODY

REAR SEAT COWL

Fits MY25 and later 675SS

6GUV-806500-5600, Nebula Black

6GUV-806400-5600, Nebula White

\$144.99 MSRP

SEATS

LOW SEAT

Fits MY26 and later 675SS

6GUV-806200-5600

\$149.99 MSRP

TALL SEAT

Fits MY26 and later 675SS

6GUV-806100-5600

\$149.99 MSRP

PROTECTION

AXLE SLIDER

Fits MY25 and later 675SS

6GUV-802700-5601, Front

6GUV-802800-5601, Rear

\$49.99 MSRP



SCAN FOR ALL
675SS ACCESSORIES

For more information and photos, visit cfmotousa.com/accessories

450SS



FACTORY MADE IT CLEAN.
YOU MAKE IT MEAN.

1 LEVERS, BLACK

Fits MY23 and later 450SS

- Precision-adjustable brake and clutch levers, easier pull with more leverage that puts the controls within anyone's reach
- Folding ends to help avoid damage to the lever

6AQV-802000-1000-10, Brake Lever

6AQV-803000-1000-10, Clutch Lever

\$74.99 MSRP, Each

2 REARSETS, SILVER

Fits MY23 and later 450SS

- Adjustable rearsets are sport-performance and function in one package
- Foot peg height is adjustable in three positions to rider preference

6AQV-802200-1000, LH

6AQV-802300-1000, RH

\$199.99 MSRP, Each

3 TALL SEAT

Fits MY23 and later 450SS

- Improved ergonomics for taller riders or better comfort on longer rides
- 0.8" (20mm) taller than stock seat

6AQV-807100-4000

\$149.99 MSRP

4 TINTED TALL WINDSHIELD

Fits MY23 and later 450SS

- Wider and taller coverage, providing better wind protection and comfort for the rider
- Direct replacement of stock windshield

6AQV-801010-1000

\$99.99 MSRP

S&S EXHAUST, SLIP-ON

Fits MY23 and later 450SS

- Weight savings of 2.2 lbs
- Full stainless steel with TIG- and MIG-welded construction

550-1124

\$549.99 MSRP

SEAT COWL

Fits MY23 and later 450SS

- Racing-style seat cowl replaces the passenger seat
- Lightweight design and built-in rear cushion for the rider for an aggressive and secure stance on the motorcycle

6AQV-801400-1000, Grey

6AQV-801500-1000, Black

6AQV-801300-1000, White

\$149.99 MSRP

ADDITIONAL 450SS ACCESSORIES //

CONTROLS

BRAKE LEVER, SILVER

Fits MY23 and later 450SS

6AQV-802000-1000

\$74.99 MSRP

CLUTCH LEVER, SILVER

Fits MY23 and later 450SS

6AQV-803000-1000

\$74.99 MSRP

LEVER PROTECTOR, SILVER

Fits MY23 and later 450SS

6AQV-802110-1000, LH

6AQV-803110-1000, RH

\$49.99 MSRP

RADIATOR GUARD

Fits MY23 and later 450SS

6AQV-801000-1000

\$39.99 MSRP

BODY

RACING COWL

NEBULA WHITE & NEBULA BLACK

Fits MY23 and later 450SS

6AQV-801100-1000

\$249.99 MSRP

RACING COWL

ZIRCON BLACK & VELOCITY GREY

Fits MY23 and later 450SS

6AQV-801200-1000

\$249.99 MSRP

LICENSE BRACKET

Fits MY23 and later 450SS

6AQV-802700-1000

\$199.99 MSRP

PROTECTION

AXLE SLIDER

Fits MY23 and later 450SS

6AQV-802400-1000, Front

\$49.99 MSRP

6AQV-802500-1000, Rear

\$39.99 MSRP

SEATS

LOW SEAT

Fits MY26 and later 450SS

6AQV-807200-1000

\$149.99 MSRP

TALL SEAT

Fits MY26 and later 450SS

6AQV-807100-4000

\$149.99 MSRP

LOW SEAT

Fits MY23 and later 450SS

6AQV-807200-4000

\$149.99 MSRP

UNIVERSAL

USB CONNECTOR TYPE-C

Fits MY23 and later 450SS

6AQV-804000-1000

\$39.99 MSRP



SCAN FOR ALL
450SS ACCESSORIES

For more information and photos, visit cfmotousa.com/accessories



PANNIERS CARRY THE FREEDOM
TO KEEP GOING.



1 3-PIECE PANNIER SET

Fits MY23 and later Ibex 800, MY25 and later Ibex 450

- Waterproof, dustproof, and removable microfiber liner
- Lockable lids and mounting system compatible with factory racks
- Storage capacity: Right - 28L, Left - 35L, Top - 36L

6WWV-808000-5002 (Silver)

6WWV-808000-5002-10 (Black)

\$1,699.99 MSRP



2 OFF-ROAD FOOT PEG

Fits MY23 and later IBEX 800

- Strong and lightweight CNC aluminum off-road foot pegs for increased traction and better rider control
- 30% more contact area than stock foot pegs and adjustable width for rider preference

6WWV-802510-5000, LH

6WWV-802520-5000, RH

\$79.99 MSRP



5 HEAVY DUTY SKIDPLATE

Fits MY23 and later IBEX 800

- Full protection for the bottom of the engine and exhaust headers
- Heavy-duty aluminum construction, painted black

6WWV-808500-5000

\$299.99 MSRP



TALL HEATED SEAT

Fits MY23 and later IBEX 800

- 1.2" (30mm) taller than stock seat
- Improved rider comfort with cushioned design and flatter profile for taller riders

6WWV-807200-5000

\$199.99 MSRP



3 RADIATOR GUARD

Fits MY23 and later IBEX 800

- Easily installs on the radiator to protect against rocks and road debris from damaging the cooling fins
- Made of heavy-gauge 3mm stainless steel, painted silver

6WWV-802030-5000

\$129.99 MSRP

4 ENGINE GUARD, BLACK

Fits MY23 and later IBEX 800

- Easy install and works with stock protection bars
- Heavy-duty steel construction, painted silver

6WWV-801000-5002

\$199.99 MSRP



SCAN FOR ALL
IBEX 800 ACCESSORIES

ADDITIONAL IBEX800 ACCESSORIES /////

CONTROLS

HANDLEBAR RISERS

Fits MY23 and later IBEX 800

6WWV-807000-5000

\$129.99 MSRP

BODY

CENTERSTAND

Fits MY23 and later Ibex 800

6WWV-809400-5000

\$279.99 MSRP

SIDE STAND ENLARGER

Fits MY23 and later IBEX 800

6WWV-802100-5000

\$39.99 MSRP

PERFORMANCE

LOWERING KIT

Fits MY23 and later IBEX 800

6WWV-802610-5000

\$39.99 MSRP

PROTECTION

ENGINE GUARD

Fits MY23 and later IBEX 800

6WWV-801000-5001

\$199.99 MSRP

SCREEN PROTECTOR

Fits MY23 and later IBEX 800

6WWV-801400-5000

\$14.99 MSRP

TANK PAD SET

Fits MY23 and later IBEX 800

6WWV-801500-5000

\$59.99 MSRP

FRONT BRAKE CALIPER GUARD

Fits MY23 and later IBEX 800

6WWV-802200-5000

\$39.99 MSRP

REAR BRAKE RESERVOIR GUARD

Fits MY23 and later IBEX 800

6WWV-802400-5000

\$39.99 MSRP

HEADLIGHT GUARD

Fits MY26 and later IBEX 800

6WWV-806300-5000

\$149.99 MSRP

FOG LIGHT GUARDS

Fits MY23 and later IBEX 800

6WWV-808100-5000

\$69.99 MSRP

TANK PAD

Fits all models

6AQV-802600-1000

\$29.99 MSRP

SEATS

TALL SEAT

Fits MY23 and later IBEX 800

6WWV-807100-5000

\$149.99 MSRP

LUGGAGE

TOP CASE, SILVER

Fits MY23 and later IBEX 800

6WWV-803000-5000

\$699.99 MSRP

For more information and photos, visit cfmotosa.com/accessories

IBEX 450



EVERYTHING YOU NEED TO OVERPREPARE.



1 2 UPPER AND LOWER ENGINE GUARDS

Fits MY26 and later IBEX 450

- Easy to install; can be installed separately and compatible with the off-road skidplate

Upper Engine Guard, Black

6AQV-801000-6000

\$149.99 MSRP

Lower Engine Guard, Black

6AQV-802000-6000

\$124.99 MSRP



3-PIECE PANNIER SET

Fits MY23 and later Ibex 800, MY25 and later Ibex 450

- Waterproof, dustproof, and removable microfiber liner
- Lockable lids and mounting system compatible with factory racks
- Storage capacity: Right - 28L, Left - 35L, Top - 36L

6WVV-808000-5002 (Silver)

6WVV-808000-5002-10 (Black)

\$1,699.99 MSRP



3 TALL WINDSHIELD

Fits MY25 and later IBEX 450

- Injection molded design and scratch-resistant coating
- 5" taller than stock windshield

6AQV-804100-6000

\$149.99 MSRP



5 TALL FRONT FENDER KIT

Fits MY25 and later IBEX 450

- Paint-matched ABS rally-style off-road function to avoid mud and debris from collecting against the front wheel
 - Vented on the rear to allow for unobstructed air to the radiator
- 6AQV-809100-6101-0HJ00 (Tundra Grey)
- 6AQV-809000-6101-0EN00 (Zephyr Blue)
- \$149.99 MSRP



4 LED AUXILIARY LIGHT KIT

Fits MY25 and later IBEX 450

- Includes mounting brackets, wiring harness, on/off button, and lights for a fully inclusive kit
- IP68 rated with 1700 effective lumens

6AQV-800200-6000

\$265.99 MSRP



6 OFF-ROAD SKIDPLATE, BLACK

Fits MY25 and later IBEX 450

- Full off-road protection for the bottom of the engine/exhaust headers and compatible with the lower engine guard
 - Heavy-duty 4mm aluminum with robot-welded seams for flawless fitment
- 6AQV-806100-6000-10
- \$299.99 MSRP



ADDITIONAL IBEX450 ACCESSORIES /////

CONTROLS

HEATED GRIPS

Fits MY25 and later IBEX 450

6AQV-800300-6000

\$149.99 MSRP

RALLY FOOTPEGS, PAIR

Fits MY25 and later IBEX 450

6AQV-802200-6000

\$99.99 MSRP

BODY

CENTERSTAND

Fits MY25 and later IBEX 450

6WVV-809400-5000

\$279.99 MSRP

CENTERSTAND

Fits MY25 and later IBEX 450

6AQV-805000-6000

\$279.99 MSRP

SIDE STAND ENLARGER

Fits MY25 and later IBEX 450

6AQV-804500-6000, Black

6AQV-804500-6001, Silver

\$39.99 MSRP

PROTECTION

FRONT BRAKE

CALIPER GUARD

Fits MY25 and later IBEX 450

6AQV-804400-6000

\$39.99 MSRP

REAR BRAKE FLUID

RESERVOIR GUARD

Fits MY25 and later IBEX 450

6AQV-804300-6000

\$39.99 MSRP

CHAIN GUIDE

Fits MY25 and later IBEX 450

6AQV-804900-6000

\$59.99 MSRP

ENGINE CASE GUARDS

Fits MY25 and later IBEX 450

6AQV-806200-6000

\$79.99 MSRP

LOWER ENGINE GUARD, GREY

Fits MY25 and later IBEX 450

6AQV-802000-6001

\$124.99 MSRP

UPPER ENGINE GUARD, GREY

Fits MY25 and later IBEX 450

6AQV-801000-6001

\$149.99 MSRP

ALUMINUM HANDGUARDS

Fits MY25 and later IBEX 450

6AQV-804600-6000

\$199.99 MSRP

OFF-ROAD SKIDPLATE, SILVER

Fits MY25 and later IBEX 450

6AQV-806100-6000

\$299.99 MSRP

RADIATOR GUARD

Fits MY25 and later IBEX 450

6AQV-804200-6000

\$99.99 MSRP

TANK PAD

Fits all models

6AQV-802600-1000

\$29.99 MSRP

SEATS

TALL RALLY SEAT

Fits MY25 and later IBEX 450

6AQV-806300-6000

\$199.99 MSRP

LUGGAGE

TOP CASE, SILVER

Fits MY25 and later Ibex 450

6WVV-803000-5000

Requires pannier racks

(6AQV-803000-6000),

sold separately

\$699.99 MSRP

ENDURO 40 ALUMINUM

PANNIER SUPPORTS

Fits MY25 and later IBEX 450

6AQV-802100-6000

\$239.99 MSRP

ENDURO 40 SOFT PANNIERS

Fits MY25 and later IBEX 450

6AQV-806000-6000

\$549.99 MSRP

PANNIER RACKS

Fits MY25 and later IBEX 450

6AQV-803000-6000

\$199.99 MSRP

TOURING CASES SET, BLACK

Fits MY25 and later IBEX 450

6WVV-808000-5002-10

\$1,699.99 MSRP



SCAN FOR ALL
IBEX 450 ACCESSORIES

For more information and photos, visit cfmotousa.com/accessories

800NK

WHEN THE BIKE FEELS LIKE YOURS, YOU RIDE LIKE YOURSELF.



CONTROLS

REARSETS

Fits MY24 and later 800NK
6KWV-802200-1000-10, LH, Black
6KWV-802300-1000-10, RH, Black
6KWV-802200-1000, LH, Titanium
6KWV-802300-1000, RH, Titanium
\$199.99 MSRP

BAR-END MIRROR

Fits MY24 and later 800NK
6KWV-802610-1000, LH
6KWV-802620-1000, RH
\$99.99 MSRP

BRAKE LEVER

Fits MY24 and later 800NK
6KWV-802000-1000-10, Black
6KWV-802000-1000, Titanium
\$74.99 MSRP

CLUTCH LEVER

Fits MY24 and later 800NK
6KWV-803000-1000-10, Black
6KWV-803000-1000, Titanium
\$74.99 MSRP

STEERING STABILIZER KIT

Fits MY24 and later 800NK
6KWV-800100-1000
\$349.99 MSRP

BODY

SIDESTAND ENLARGER

Fits MY26 and later 800NK
6KWV-802100-5000
\$39.99 MSRP

PROTECTION

AXLE SLIDER

Fits MY24 and later 800NK
6KWV-802400-1000, Front
6KWV-802500-1000, Rear
\$49.99 MSRP

RADIATOR GUARD, BLACK

Fits MY24 and later 800NK
6KWV-801000-1000
\$109.99 MSRP

SKIDPLATE

Fits MY24 and later 800NK
6KWV-804000-1000, Black
6KWV-804000-1000-10, Silver
\$199.99 MSRP

PERFORMANCE

QUICK SHIFTER KIT

Fits MY26 and later 800NK
6KWV-800200-1000
\$199.99 MSRP

SEATS

TALL SEAT

Fits MY24 and later 800NK
6KWV-807200-1000
\$149.99 MSRP

UNIVERSAL

USB CONNECTOR TYPE-C

Fits MY24 and later 450NK
6AQV-804000-1000
\$39.99 MSRP

675NK



NAKED BUT NOT BARE.



1 CNC LEVERS, BLACK

Fits MY26 and later 675NK

- Precision adjustable levers, easier pull with more leverage that puts the controls within anyone's reach
- Folding ends to help avoid damage to the lever

6GUV-802220-5601, Brake Lever

\$74.99 MSRP

6AQV-803000-1001-10, Clutch Lever

\$79.99 MSRP

ADDITIONAL 675NK ACCESSORIES /////

CONTROLS

HEATED GRIPS

Fits MY26 and later 675NK
6ARV-802000-1000
\$99.99 MSRP

PROTECTION

ENGINE CASE GUARDS

Fits MY26 and later 675NK
6GUV-804600-5601
\$79.99 MSRP

BODY

REAR SEAT COWL

Fits MY25 and later 675SS and
MY26 and later 675NK
6GUV-806500-5600, Nebula Black
6GUV-806400-5600, Nebula White
\$124.99 MSRP

TIDY LICENSE PLATE BRACKET

Fits MY26 and later 675NK
6GUV-802900-5601
\$109.99 MSRP

SEATS

LOW SEAT

Fits MY26 and later 675NK
6GUV-806200-5600
\$149.99 MSRP

TALL SEAT

Fits MY26 and later 675NK
6GUV-806100-5600
\$149.99 MSRP



SCAN FOR ALL
800NK ACCESSORIES



SCAN FOR ALL
675NK ACCESSORIES

For more information and photos, visit cfmotousa.com/accessories



1 LEVERS, BLACK

Fits MY24 and later 450NK

- Precision-adjustable brake and clutch levers, easier pull with more leverage that puts the controls within anyone's reach
- Folding ends to help avoid damage to the lever

6AQV-802000-1000-10, Brake

6AQV-803000-1000-10, Clutch

\$74.99 MSRP



2 TALL SEAT

Fits MY24 and later 450NK

- Improved ergonomics for taller riders or better comfort on longer rides
- 0.8" (20mm) taller than stock seat

6AQV-807100-4000

\$149.99 MSRP



1 LEATHER SIDE BAGS

Fits MY25 and later 450CL-C

- Weather-resistant soft-sided bags are quickly connected to the racks, and have a removable rain cover, laptop sleeve, and attachable shoulder straps
- Requires Side Bag Brackets for installation (6AQV-801700-7100)

6AQV-801800-7100

\$299.99 MSRP

4 REARSETS, SILVER

Fits MY23 and later 450NK

- Adjustable rearsets are sport-performance and function in one package
- Foot peg height is adjustable in three positions to rider preference

6AQV-802200-1000, LH

6AQV-802300-1000, RH

\$199.99 MSRP, Each



3 SLIP-ON S&S EXHAUST

Fits MY24 and later 450NK

- Weight savings of 2.2 lbs
- Full stainless steel with TIG- and MIG-welded construction

550-1124

\$549.99 MSRP



ADDITIONAL 450NK ACCESSORIES /////

CONTROLS

SILVER LEVER

Fits MY24 and later 450NK

6AQV-802000-1000, Brake

6AQV-803000-1000, Clutch

\$74.99 MSRP

LEVER PROTECTOR, SILVER

Fits MY23 and later 450NK

6AQV-802110-1000, LH

6AQV-803110-1000, RH

\$49.99 MSRP

RADIATOR GUARD

Fits MY24 and later 450NK

6AQV-801000-1000

\$39.99 MSRP

PROTECTION

AXLE SLIDER

Fits MY24 and later 450NK

6KWV-802400-1000, Front

6KWV-802500-1000, Rear

\$49.99 MSRP

SEATS

LOW SEAT

Fits MY24 and later 450NK

6AQV-807200-4000

\$149.99 MSRP

UNIVERSAL

USB CONNECTOR TYPE-C

Fits MY24 and later 450NK

6AQV-804000-1000

\$39.99 MSRP



SCAN FOR ALL
450NK ACCESSORIES



2 TINTED WINDSHIELD

Fits MY25 and later 450CL-C

- Low polycarbonate windshield adds to the look of the bike and provides cleaner airflow over the handlebars to the rider
- Heritage looks and tinted color

6AQV-801400-7100

\$89.99 MSRP



3 PASSENGER BACKREST

Fits MY25 and later 450CL-C

- Integrated backrest for the passenger seat for comfort and style
- Compatible with or without the Side Bag Brackets

6AQV-801600-7100

\$79.99 MSRP



4 HEADLIGHT GUARD

Fits MY25 and later 450CL-C

- Helps protect from rocks and other road debris while adding a hardened look
- Folds forward for easy access to clean the headlight

6AQV-801100-7100

\$79.99 MSRP

ADDITIONAL 450CL-C ACCESSORIES /////

PROTECTION

ENGINE GUARD

Fits MY25 and later 450CL-C

6AQV-802000-7101

\$99.99 MSRP

RADIATOR GUARD

Fits MY25 and later 450CL-C

6AQV-801300-7100

\$99.99 MSRP

LUGGAGE

SIDE BAG BRACKETS

Fits MY25 and later 450CL-C

6AQV-801700-7100

\$99.99 MSRP

SKIDPLATE

Fits MY25 and later 450CL-C

6AQV-803100-7100

\$79.99 MSRP



SCAN FOR ALL
450CL-C ACCESSORIES

For more information and photos, visit cfmotousa.com/accessories

PAPIO



EVERY PART ADDS HORSEPOWER TO YOUR STYLE.

PAPIO ACCESSORIES /////

BODY

REAR SEAT COWL, WHITE

Fits MY24 and later Papio SS
6FIV-803100-7000
\$99.99 MSRP

SEATS

LOW SEAT

Fits MY24 and later Papio SS
6FIV-807100-7000
\$99.99 MSRP

LUGGAGE

PANNIER, LH

Fits MY24 and later Papio CL
6FIV-801000-4000
\$199.99 MSRP

UNIVERSAL

USB CONNECTOR TYPE-C

Fits MY24 and later Papio SS, Papio CL
6AQV-804000-1000
\$39.99 MSRP



SCAN FOR ALL
PAPIO ACCESSORIES



ADV TANK BAG

Fits all models

- Quick release strap system for easy attachment and refueling
 - Bag holds its shape, and reverse coil and lockable zippers help keep out dust and dirt
- 85242B-07400
\$124.99 MSRP



UNIVERSAL ACCESSORIES /////

MEDIUM TANK BAG W/LOCK & PADLOCK

Fits all MY22 and later
motorcycles except Papios
X0SE091CL
\$114.99 MSRP

CLICK SYSTEM MOUNT

Fits all MY22 and later
motorcycles except Papios
C010CS
\$14.99 MSRP

E-10P PIN SYSTEM TANK BAG

Fits all models
X0SE10P
\$69.99 MSRP

PIN SYSTEM FOR TANK BAGS

Fits all models
X0282PS
\$14.99 MSRP

SPARE TANK CLICK RING

Fits all MY22 and later
motorcycles except Papios
X1SESTRIR
\$10.99 MSRP

UNIVERSAL TANK PAD

Fits all models
6AQV-802600-1000
\$29.99 MSRP

MOTORCYCLE COVER, XL

Fits IBEX 800, IBEX 450
85242Z-07305
\$99.99 MSRP

MOTORCYCLE COVER, M

Fits 675SS, 450SS/NK,
300SS/NK
85242Z-07303
\$99.99 MSRP

For more information and photos, visit cfmotousa.com/accessories



ACCESSORIES ARE MORE REASONS TO NEVER STOP RIDING.



THE LIFEblood OF THE RIDE.


Specifically engineered for use in all CFMOTO engines. You wouldn't run bargain feed through a prize bull. Don't put bargain oil in your machine. CFMOTO CRAFTED Oil & Lubricants are made for one purpose: to keep your rig running clean, cool, and ready for whatever the land throws at it. Full oil change kits—filters, gaskets, and the good stuff—are ready at your dealer. You don't need a parts run. You need one box, one trip, and confidence that you're giving your machine what it deserves.



LUBRICANTS FITMENT GUIDE

	10W-40 SYNTHETIC BLEND KITS				
Vehicle	1 Quart	2 Quarts	3 Quarts	4 Quarts	
Papio	CF-852021-00810	CF-852021-00813			
300cc Motorcycle		CF-852021-00812			
450cc Motorcycle			CF-852021-00814		
650cc Motorcycle			CF-852021-00811		
675cc Motorcycle				CF-852021-00819	
700cc Motorcycle			CF-852021-00817		
800cc Motorcycle			CF-852021-00815		
	5W-40 SYNTHETIC BLEND	0W-40 FULL SYNTHETIC	COOLANT		DOT 4 BRAKE FLUID
	1 Quart	1 Quart	1 Quart	1 Gallon	12 oz.
All Motorcycles	CF-852021-00809	CF-852021-00806	CF-852021-00805	CF-852021-00807	CF-852021-00829

PART NUMBER	PRODUCT	MSRP
CF-852021-00805	Premixed Antifreeze Coolant, 1 Quart	\$8.99
CF-852021-00807	Premixed Antifreeze Coolant, 1 Gallon	\$24.99
CF-852021-00829	DOT 4 Brake Fluid, 12oz.	\$8.99
CF-852021-00806	0W-40 Full Synthetic Engine Oil, 1 Quart	\$17.99
CF-852021-00809	5W-40 Synthetic Blend Engine Oil, 1 Quart	\$13.99
CF-852021-00810	10W-40 Synthetic Blend Engine Oil, 1 Quart	\$11.99
CF-852021-00813	Oil Change Kit - CF125cc	\$39.99
CF-852021-00812	Oil Change Kit - CF300cc	\$39.99
CF-852021-00814	Oil Change Kit - CF400cc	\$49.99
CF-852021-00811	Oil Change Kit - CF650cc	\$49.99
CF-852021-00819	Oil Change Kit - CF675cc	\$59.99
CF-852021-00817	Oil Change Kit - CF700cc	\$49.99



RideSmarter.
RideConnected.
RideSync®

Not just an app. RideSync® is an extension of your machine's mechanical and electronic truth, rendered in data. Self-Check gives you a systems-level diagnostic before your boots hit the pegs. MyRide records the telemetry of your life on two wheels—speed, lean angle, distance, even how and when you brake. And with Vehicle Seek, your bike's location is never a question, even when it's out of sight. From commutes to canyon carving, RideSync® delivers insight you can count on—and ride on.



OTHER BRANDS MAKE PROMISES. WE MAKE GOOD.

With nearly 700 dealers across the country, support is never far away. When we say More Comes Standard, we mean it—not just in the machine, but in the service and follow-through behind it. From parts and maintenance to real conversations with people who ride, our dealer network is here to back you up—before, during, and long after the sale.

CFMOTO USA. NEARLY 700 DEALERS STRONG.



5005 Nathan Ln N
Plymouth, MN 55442
763-398-2690

info@cfmotousa.com
CFMOTOUSA.COM

The specific details of this brochure do not apply to any particular product supplied or offered for sale by CFMOTO®. CFMOTO reserves the right to vary specifications which are subject to change without notice. Images shown may include features that are not standard to the motorcycles in the US. Consult your dealer for details regarding the specifications of any featured product. Please note that model specifications may vary from country to country. The fuel consumption figures provided are based on test results obtained by CFMOTO, and actual fuel consumption may vary depending on how you ride, maintain your vehicle and tires, as well as weather and road conditions, installation of accessories, cargo weight, rider and passenger weight, and other factors. Read the Owner's Manual and review vehicle warning labels before operation. Get to know your machine and its capabilities. Brake in plenty of time. Always dress properly for your ride with a helmet, eye protection, and appropriate protective apparel such as a riding jacket or long-sleeve shirt, long pants, gloves and boots. Avoid excessive speeds and never engage in stunt riding. Observe good road manners and courteous behavior toward other motorists. Never ride under the influence of alcohol or other drugs; it is illegal and deadly. Always inspect your CFMOTO vehicle before riding. For safety and training information, see your dealer or call CFMOTO at 763-398-2690. The riders illustrated in the CFMOTO brochure are professional motorcycle riders. The photos were taken on closed racing circuits or closed roads. While every effort has been made to ensure accuracy of the information in this brochure, CFMOTO does not guarantee such accuracy and cannot be held liable for any errors, inaccuracies, omissions or any reliance upon the information contained herein. This brochure contains many of the valuable trademarks and service marks owned and used by CFMOTO throughout the world. The document may also contain references to other company brands and product names that may be the trademarks of their respective owners and are used by CFMOTO for identification purposes only and do not constitute or imply endorsement, sponsorship, or recommendation of third-party products or services. Copyright 2025, Zhejiang CFMOTO Power Co. Ltd. CFMOTO® is a registered trademark of Zhejiang CFMOTO Power Co., Ltd. All rights reserved.