



ACCESSORY SETUP INSTRUCTION

HIGH SEAT ASSEMBLY -- PN 6GU#-807100-6000/6GUV-807200-6000

VALID FOR: MY2020 and Newer 700 CL-X

BEFORE YOU BEGIN: Read and understand the instructions before starting any work. Make sure that all parts are ready and that you have all the tools required for assembly.

NOTE: CFMOTO shall not be liable for any damage caused by incorrect assembly. CFMOTO recommends that all original accessories be assembled by an authorized CFMOTO dealer.

Before assembly, park the vehicle on a flat surface, put the transmission gear into Park (P) and turn off the key switch.

Zhejiang CFMOTO Power Co., Ltd. All rights reserved. Reproduction of this document, even in part, as well as copying of all kinds, is permitted only with the express written permission of the copyright owner.

MEANING OF SYMBOLS



- Indicates information with more details or tips.



- Indicates information of warning or danger.

PARTS LIST:

S/N	PART NAME	PART NUMBER	QTY.	REMARK
1	HIGH SEAT ASSEMBLY	6GU#-807100-6000	1	The picture is not the final product.
1	HIGH SEAT ASSEMBLY(BROWN)	6GUV-807200-6000	1	




TOOL LIST:

Item	Description	QTY.	REMARK
1	PROTECTIVE GLOVES	1	Recommended tools
2	4mm ALLEN WRENCH	1	




// Use the key (1) to open the seat assembly (2).

i There is a tools bag under the seat.




// Remove the tie bands (1) and take out the 4mm Allen wrench from tools bag.




// Remove the seat rear deco plate bolts (1).

SCREW KIT	M5x12	6L30-050020	/
-----------	-------	-------------	---



// Install the seat rear deco plate onto the high seat by screws (1).

SCREW KIT	M5x12	6L30-050020	/
-----------	-------	-------------	---



// Secure the tools bag (1) to the high seat with tie bands (2).



// Install the high seat back to the motorcycle.